

Work Order ID 142494

142494

Page 1

Wednesday, March 09, 2016 2:58:16 PM

Item ID: D2572 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle, Fwd, In
 Start Date: 3/25/2016 Start Qty: 12.00 ***12*** Cust Item ID:
 Required Date: 3/31/2016 Req'd Qty: 12.00 ***12*** Customer:
 Reference:

Approvals: Process Plan: MCS Date: **MAR 10 2016** Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2572	F

100	HAAS CNC VERTICAL MACHINING #1	0.00				12	0		DAS 08 9-89
-----	--------------------------------	------	--	--	--	----	---	--	-------------------

100
 HAAS 1
 HAAS CNC vertical machine #1

Memo
 Program Batch No. 142494

Double check by: [Signature]

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets

2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA051 and insp

110	CONVENTIONAL MILLING MACHINE	0.00				12	0		DAS 08 9-89
-----	------------------------------	------	--	--	--	----	---	--	-------------------

110
 Mill Conv
 Conventional Milling Machine

Memo
 Machine keyway as per dwg D2571 & D2572

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐					

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Work Order ID 142494

142494

Page 3

Wednesday, March 09, 2016 2:58:16 PM

Item ID: D2572 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Saddle, Fwd, In
 Start Date: 3/25/2016 Start Qty: 12.00 ***12*** Cust Item ID:
 Required Date: 3/31/2016 Req'd Qty: 12.00 ***12*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150 *150* Powdercoat Powder Coating	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum <i>m 134371</i> Memo START TIME: <i>10:40</i> OVEN TEMPERATURE: <i>320°</i> FINISH TIME: <i>11:10</i>	0.00 0.01				<i>12</i>	<i>0</i>	<i>16-04-14</i>	<i>3 3 3</i>
160 *160* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.00				<i>(12)</i>			DAS 38 9-89 APR 04 2016
170 *170* Packaging Packaging	Identify as per dwg & Stock Location: <i>56397</i> Memo	0.00 0.00				<i>12</i>		APR 05 2016	DAS 6 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
				OTHER : ☐			

Work Order ID 142494

Wednesday, March 09, 2016 2:58:16 PM

142494

Page 4

Item ID: D2572

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle, Fwd, In

Start Date: 3/25/2016 Start Qty: 12.00

12

Cust Item ID:

Required Date: 3/31/2016 Req'd Qty: 12.00

12

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start ***NR1***

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.02

Quality Control

MLJ

APR 06 2016

MLJ

APR 06 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Picklist Print

Wednesday, March 09, 2016 2:58:16 PM

Page 1

Work Order ID: 142494

142494

Parent Item: D2572

D2572

Parent Item Name: Saddle, Fwd, In

Start Date: 3/25/2016

Required Date: 3/31/2016

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP: I02.10.02Re-format; Change to Dwg Rev. D & incorporated
D2572KJ

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D6101-005		Manufactured	No			100	Each	28.0000	1	12			
-----------	--	--------------	----	--	--	-----	------	---------	---	----	--	--	--

D6101-005

Saddle Billet

12.000

DAS

20

9-89

16-03-24

Location

Loc Qty

Loc Code

MAT041

28

136765

9

140089

4

140767

15

12.000

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

DART AEROSPACE LTD	Work Order:	142494
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. F		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.438	0.443		0.439	0.439	0.439	0.439		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.502	0.500	0.500	0.500		
G	0.257	0.262		0.258	0.258	0.258	0.258		
H	0.375	0.380		0.376	0.376	0.376	0.376		
I	0.490	0.510		0.499	0.500	0.500	0.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.569	0.569	0.569	0.569		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		0.135	0.135	0.135	0.135		
Q	0.115	0.135		0.125	0.124	0.124	0.124		
R	0.240	0.260		0.253	0.252	0.252	0.252		
S	0.115	0.135		0.127	0.127	0.127	0.127		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		0.240	0.239	0.238	0.238		
W	0.115	0.135		0.127	0.128	0.128	0.128		
X	0.307	0.312		0.308	0.310	0.310	0.310		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.364	0.365	0.364	0.364		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.622	0.625	0.625	0.625		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.251	0.250	0.250	0.251		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		0.135	0.135	0.135	0.135		
AG	0.240	0.280		0.240	0.240	0.240	0.240		
AH	0.240	0.260		0.249	0.249	0.248	0.249		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		
Accept/Reject									

Measured by: J.A.	DAS
Date: 16/03/26	08
	9-89

Audited by: J
Date: 16-4-1

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD	Work Order:	142494
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. F		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	#5	#6	#7	#8	By	Date
A	0.438	0.443		0.439	0.439	0.439	0.439		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.500	0.500	0.500	0.500		
G	0.257	0.262		0.258	0.258	0.258	0.258		
H	0.375	0.380		0.376	0.376	0.376	0.376		
I	0.490	0.510		0.500	0.500	0.500	0.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.569	0.569	0.569	0.569		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		0.135	0.135	0.135	0.135		
Q	0.115	0.135		0.124	0.124	0.124	0.124		
R	0.240	0.260		0.252	0.252	0.253	0.252		
S	0.115	0.135		0.127	0.127	0.127	0.127		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		0.238	0.239	0.238	0.238		
W	0.115	0.135		0.127	0.128	0.128	0.128		
X	0.307	0.312		0.310	0.310	0.310	0.310		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.362	0.364	0.364	0.364		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.625	0.625	0.625	0.625		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.251	0.251	0.251	0.250		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		0.135	0.135	0.135	0.135		
AG	0.240	0.280		0.240	0.240	0.240	0.240		
AH	0.240	0.260		0.248	0.248	0.248	0.248		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		
Accept/Reject									

Measured by: <u>BA</u>	DAS
Date: <u>16/03/27</u>	08
	9-89

Audited by: <u>Y</u>
Date: <u>16-4-1</u>

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order:	142494
Description: Saddle, Fwd Inboard		Part Number:	D2572
Inspection Dwg: D2572 Rev. F		Page 1 of 1	


Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:


				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	#9	#10	#11	#12	By	Date
A	0.438	0.443		0.439	0.439	0.439	0.439		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.500	0.500	0.500	0.500		
G	0.257	0.262		0.258	0.258	0.258	0.258		
H	0.375	0.380		0.376	0.376	0.376	0.376		
I	0.490	0.510		0.500	0.500	0.500	0.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.569	0.569	0.569	0.569		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.490	1.500		1.495	1.495	1.495	1.495		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	3.869	3.879		3.874	3.874	3.874	3.874		
P	0.115	0.135		0.135	0.135	0.135	0.135		
Q	0.115	0.135		0.124	0.124	0.124	0.124		
R	0.240	0.260		0.252	0.252	0.253	0.252		
S	0.115	0.135		0.127	0.127	0.127	0.127		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		0.238	0.239	0.238	0.238		
W	0.115	0.135		0.127	0.128	0.128	0.128		
X	0.307	0.312		0.310	0.310	0.310	0.310		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.364	0.364	0.364	0.364		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.625	0.625	0.625	0.625		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.250	0.250	0.250	0.250		
AE	1.375	1.395		1.385	1.385	1.385	1.385		
AF	0.115	0.135		0.135	0.135	0.135	0.135		
AG	0.240	0.280		0.240	0.240	0.240	0.240		
AH	0.240	0.260		0.248	0.248	0.248	0.249		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		
Accept/Reject									

Measured by:	B. a	DAS
Date:	16/03/28	08
		9-89

Audited by:	JL
Date:	16-4-1

Rev	Date	Change	Revised by	Approved
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	





D2572 INNER FWD SADDLE

NOTES:

- 1) MATERIAL: 7075-T7351 PER QQ-A-250/12 (REF DART SPEC. D6101-005)
- 2) FINISH: ACID ETCH, ALODINE PER DART QSI 005 4.1
POWDER COAT WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFY WITH DART P/N "D2572" AND B/N PER DART QSI 044 6.3 (CNC ENGRAVING)
USE MAX DEPTH OF 0.010 WITH MIN TOOL RAD OF 0.010
- 7) WEIGHT: 0.80 lbs

F	D6101-005 WAS D6102-003 REF NCR12-1832	SFM	12.11.13
E	ADD CHAMFER ON RIDGE, NOTE 5	PH	05.07.13
D	ADD RIDGES; TIGHTEN TOLERANCES	CP	02.09.06
C	INCCORP. DEO 9123/9079/9120 ADD DIMENSIONS PER TSR A1177	CP	99.10.22
B	ADD GRAIN DIR., 0.438 WAS 0.425	CW	96.12.02
A	NEW ISSUE	BW	96.09.16
REV.	DESCRIPTION	BY	DATE
DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	SFM		
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D2572	SHEET 1 OF 1
APPROVED		TITLE	SCALE
DE APPR.		INNER FWD SADDLE	NTS
DATE	12.11.13	COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	